



GROHE
SANITARY SYSTEMS
WORK SMARTER



Dear customers,

To make every installation as easy as possible we are dedicated to developing high quality, innovative products that make the process simple, efficient and safe. We ensure that our products are straightforward to install without sacrificing the hallmark of GROHE: beautiful designs, encompassing form and function in equal measure.

Our Rapid SL system is a perfect example of this ethos. Installation is incredibly swift and easy due to the unique pneumatic connection of the flush plate. Smart solutions like this ensure we keep our commitment to developing high quality bathroom fittings that don't take long to install.

GROHE offers an aesthetic and at the same time practical solution with the new, slim design flush plates in a small format, without compromising on serviceability. The new Skate Cosmopolitan S, Nova Cosmopolitan S and Arena Cosmopolitan S complement the comprehensive assortment of flush plates and enhance the numerous options of attractive bathroom design.

At GROHE, we pride ourselves on our understated, elegant style. That's why we offer stylish Glass Covers in Skate Cosmopolitan design for any wall hung toilet. They combine sophisticated design with practical functionality. With that solution, you can for example showcase our shower toilet Sensia Arena in a new or an existing bathroom: with the new Glass Covers in Velvet Black or Moon White it is very easy to cover the water connection in an elegant way – even on existing tiles.

We are dedicated to creating stunning fittings that can be installed quickly and easily without extensive preparation or training. Whether you are renovating, updating or building from scratch, GROHE delivers stylish, intelligent products that allow everyone to enjoy water in their home.



Yours, Michael Rauterkus
Chief Executive Officer
Grohe AG

GROHE RAPID SL	04
GROHE GLASS COVER	20
GROHE RAPID PRO	26
GROHE FLUSH PLATES	30
GROHE REMOTE-CONTROL FLUSHING	54
GROHE WC FLUSH PLATES	58
GROHE SMART	60

OVERVIEW

GROHE SANITARY SYSTEMS

Whether it be in a new building or for a renovation project: you will obtain perfect wall installation systems for designing bathrooms and sanitary modules using the Rapid SL from GROHE.










Rapid SL – for modern dry cladding – permits rapid and clean alterations almost without any soiling in just a few days. Even luxurious bathrooms can become reality using the flexible Rapid SL system.

Whether your toilet is within a vanity unit , under a window or in a dividing wall, the Rapid SL range with its varying heights can accommodate your installation needs

GROHE SANITARY SYSTEMS HIGHLIGHTS IN HISTORY

Perfect products that guarantee faultless operation are the result of many years of continuous improvement. Our many years of experience in the sanitary products industry have taught us that this is the key to success. A perfect example of this are our WC flushing systems, whose features provide added value for your installation. They include our unique pneumatic hose, simple connection, versatile functionality with choice of single flush, dual flush or start/stop technology as well as flexible design and an extensive range of flush plates – compatible with all Rapid SL frames solutions.

GROHE products guarantee many years of reliable operation. You can therefore have total confidence in your installation. Just like your customers, you benefit from our 5 year warranty for core products in our concealed installation range and a retrofitting offer for conversion of up to 30 years old concealed cisterns to next level water saving technology.

1971	1981	1986	1994	1998	2007	2008	2009	2013
<p>First concealed cistern „Perfekt“ 9/14l</p> <p>First Dally filling valve with hydraulic function</p>	<p>Concealed cistern, 9l</p> <p>First introduction of a Servo Flush valve for easy flush</p>	<p>First DAL-Rapid Element for dry wall applications</p>	<p>Rapid „S“ with 6/9 l</p> <p>First cistern with small revision opening</p>	<p>First introduction of Uniset</p> <p>Same tried and trusted cistern as Rapid system</p>	<p>Introduction of new flush valve AV1</p> <p>Pneumatic system with only one hose</p>	<p>First introduction of GROHE Fresh</p>	<p>Rapid SL Upgrade</p> <p>New wall brackets</p> <p>Tool-free installation of water connection and revision shaft</p>	<p>Rapid SL WC for small, narrow bathrooms</p>
								

GROHE

grohe.co.uk



GROHE SANITARY SYSTEMS

RELIABILITY OF CONCEALED CISTERNS

The cistern is the heart of any concealed system for WCs, in drywall and solid constructions. GROHE has experience in production of concealed cistern for more than 40 years. This lead to more than 20 Million cisterns installed world-wide. GROHE concealed products generally come with a 5 year warranty.

Replacement parts are available for a full 15 years for our concealed WC cisterns and can be fitted with dual-flush technology, which allows the user to select the required volume and thereby saving water. A wide range of flush plates offer a coordinated design with a wide variety of basin mixers. All GROHE cisterns fit to these flush plates which leads to peace of mind when designing the bathroom.







GROHE RAPID SL THE BENEFITS AT A GLANCE.

Rapid SL is a universal programme for dry-panelling for WCs, wash basins, urinals, bidets, showers and baths in different installation heights. Whether in a single or row installation, or in front of a solid wall, with Rapid Pro profile or in front of or in a stud partition, Rapid SL installation elements live up to their name and can be installed anywhere, quickly and easily.





[1] Points for installing the top fixing brackets

[2] A QR code printed on each GD2 cistern links to information such as product number, spare parts and technical drawings

[3] **UNIVERSAL CISTERN**

- adjustable from 3-6 l
- Dual Flush or Start/Stop flush
- water connection via top, back, right, left
- installation of water connection without tools
- compatible to all GROHE flush plates

[4] **FLEXIBLE**

Inspection shaft can be installed horizontally or vertically to suit the individual tile pattern

[5] **EASYCONNECT**

Pneumatic connection of flush plate for easy and fast installation

[6] **FAST**

Fully preassembled elements –
“straight out of the box and onto the wall”

[7] **SAFE**

TÜV certificate for Load capacity:

- 400 kg for WC
- 150 kg for wash basin

[8] **SILENT**

Noise reduction thanks to GROHE Whisper (Quiet Mark certified)

[9] **COMPLETE**

Fixing material, supply and waste pipes for wall-hung WCs

[10] **VERSATILE**

Element feet with variable fixing points for all applications


EASE OF INSTALLATION

GROHE CONCEALED CISTERNS

The GROHE concealed cistern is characterised by rapid installation and universal connection options. Another important installation advantage that delivers clear time savings is the fastening technology of the retaining frame for mounting the flush plate directly on the cistern.

FASTEST INSTALLATION DUE TO THE PNEUMATIC HOSE

Only two screws are needed for the retaining frame. There is no longer any need for separate depth adjustment. The connection to the flush plate is established simply by attaching the pneumatic hose. Thanks to EasyConnect there is no more measuring or cutting to length.





RAPID SL NOISE CONTROL ... AT THE HIGHEST LEVEL

GROHE WHISPER


For peace, comfort and design freedom, our concealed cisterns feature GROHE Whisper technology. Thanks to decoupled pipe supports, there is no sound transfer to the structure of the building when the water is released from the cistern to the bowl. Allowing the WC to be located in the most convenient location without fear of disturbing others.

DIN 4109 describes the permitted noise levels in areas requiring protection against noise from household equipment, which must also be observed in the case of sanitary installations. The values specified in DIN 4109/A1 or DIN 4109, Supplement 2, are the generally accepted technical regulations. The renowned Fraunhofer Institute has confirmed the excellent noise-control properties of the GROHE Whisper technology in Rapid SL and Uniset in its own tests. The excellent measurement results of all products meet the requirements of DIN 4109/A1, VDI 4100 or DIN 4109, Supplement 2.

Deviating from standard noise control with 30 dB(A), DIN 4109/A1 defines:

- Increased noise control requirements with 27 dB(A)*
- Comfort noise control with 24 dB(A)*

* Applies to apartment buildings. For semi-detached and terraced houses, the values are 25/22 dB(A)



The GROHE Rapid SL flush system has been recognised by the Quiet Mark scheme for a second year running. The flush and cistern refill was tested by Quiet Mark whose key mission is to drive awareness, and support the reduction of noise-related issues.

GROHE has renewed the Quiet Mark on its Rapid SL WC flush system, retaining its position as the only cistern in the industry to have the sought after mark of approval. GROHE's innovative Whisper quiet water technology delivers extremely quiet acoustics

According to a survey commissioned by Defra and Quiet House*, 76% of the UK population feels that the quality of their home life is affected by noise, with this impacting on health factors such as sleep disruption. Respondents confirmed they had been woken up, kept awake, or changed the time they went to bed or got up because of noise levels, with 47% claiming it is noise from within the home that causes the disruption



RAPID SL PREPARATION FOR FUTURE DEMANDS

Safe, fast and trouble-free installation must be achievable without extensive preparation and training. The solution lies in the detail – defined positions for the electrical and water supply connections, easy maintenance access plus tool-free installation wherever possible and much more besides. Simple installation procedures save time and money and help professionals to meet deadlines and remain within budget.

Whether in case of new construction or renovation, with GROHE Rapid SL, you can make the necessary preparations so that adding new comfort features in the WC area will always be easy to obtain. Especially the electrical supply is a very important detail for future demands. Just place a conduit pipe for the electrical supply during every Rapid SL installation and your customer is also optimally prepared for future demands.

Or even better: install the Rapid SL for Shower toilets. Whatever you choose: The electrical and water supply connections remain invisible. You are getting ready for the future with your Rapid SL installation element. Without additional costs worth mentioning.



RAPID SL
FOR WALL HUNG WC AND SHOWER TOILETS



38 528 001
Rapid SL for WC
with flushing cistern 3 – 6 l
dual flush/start & stop/single flush
connection from left/right/rear
1.13 m installation height



39 112 001
Rapid SL for shower WC
flushing cistern GD 2
with small maintenance access
1.13 m installation height, pipe for
GROHE Sensia water inlet, socket for
mains supply



38 994 000
Rapid SL for WC
for small, narrow bathrooms
flushing cistern 80 mm
with small maintenance access
1.13 m installation height
element width 0.62 m



39 140 000
Rapid SL handicap
for WC, flushing cistern GD 2
with small maintenance access
1.13 m installation height
with fixing element for back support
and bars, for WC bowls 70 cm
projection



38 525 001
Rapid SL for WC
with flushing cistern 3 – 6 l
dual flush/start & stop/single flush,
1.00 m installation height
connection from left/right/rear
actuation from front/above



38 526 000
Rapid SL for WC
with flushing cistern 3 – 6 l
dual flush/start & stop/single flush,
0.82 m installation height
connection from left/right/rear,
actuation from front/above



GROHE
Whisper



GROHE
EcoJoy



GROHE
StarLight



VarioPort



ToolFree



EasyConnect



Safety



SpareFlush

RAPID SL FOR URINAL, BIDET, & WASH BASIN



38 786 001
Rapid SL for urinal
with GROHE Rapido U
for manual actuation or infra-red
electronic 6 V oder 230 V
1.13 m and 1.30 m installation height



38 553 001
Rapid SL for bidet
1.13 m installation height



39 376 000
Rapid SL for urinal
with roughing-in set for T sensor,
1.13 and 1.30 m installation height,
without installation set for T sensor
electronic (39 368 000 or 39 369 000)



38 554 001
Rapid SL for wash basin
for wall mounted fittings
1.30 m installation height



38 748 001
Rapid SL for wash basin
with roughing-in set for infra-red
electronics Allure E, Essence E and
Europlus E
for installation with pre-mixed
or cold water
1.13 m installation height



39 052 000
Rapid SL for wash basin
height adjustable, for single hole
installation, 1.13 m installation height,
for on-the-wall installations or
studded walls, 2 noise protected
fitting connections 1/2"



38 422 000
 Flushing cistern for WC
 6 l / 3 l Dual Flush
 0.82 m finished installation height
 front/top actuation water supply
 from left/right or back
 Insulated against condensation
 without wall plate/actuation
 & flush pipe



38 691 000
 Eau2 WC Flushing cistern 0.82m
 6 l / 3 l Dual Flush
 water supply from left/right or back
 with angle stop valve 1/2",
 flush pipe, fixing brackets & air button



38 987 000
 GD2 WC Flushing Cistern
 6l/3l Dual Flush
 water supply from top/back
 includes inlet pipe & connector
 without wall plate/actuation
 for mounting of small flush plates
 please order inspection shaft
 40 911 000 (sold separately)



39 056 000
 Round push button actuation
 Ø 50 mm with Eco button
 for combination with flushing cistern
 39 053 000 & 39 054 000
 for walls 18 -24 mm thickness



390 57 000
 Square push button actuation
 Ø 52 mm with Eco button
 for combination with flushing cistern
 39 053 000 & 39 054 000
 for walls 18 -24 mm thickness

39 053 000
 Concealed flushing cistern
 6 l / 3 l Dual Flush
 water supply from bottom
 button included



38 868 000

Rapid SL 3 in 1 set for WC with flushing cistern 6 - 3 l
0.82 m finished installation height
Includes Nova Comso wall plate & top fixing brackets for Rapid SL.



38 773 000

Rapid SL 3 in 1 set for WC with flushing cistern 6 - 3 l
0.82 m finished installation height
Includes Skate Comso wall plate & top fixing brackets for Rapid SL.



38 772 001

Rapid SL 3 in 1 set for WC with flushing cistern 6 - 3 l
1.13 m finished installation height
Includes Skate Comso wall plate & top fixing brackets for Rapid SL for mounting of small flush plates please order inspection shaft 40 911 000 (sold separately)

GLASS COVER SKATE COSMOPOLITAN FOR MODERN CONCEALED INSTALLATIONS

The new GROHE Glass Cover combines noble materials with high functionality. The cosmopolitan design creates a modern clean look in every bathroom. An evenly built-in actuation provides an ultra slim design.

GROHE



GLASS COVER SKATE COSMOPOLITAN

SIMPLE, QUICK INSTALLATION OF SHOWER TOILET SENSIA ARENA

Fit your shower toilet Sensia Arena to a new bathroom or within your existing scheme – it's all been designed to be so easy with GROHE's Glass Cover you can pick from a velvet black or moon white safety glass module that conceals the water supply and can be installed over existing tiles.

For new installations the GROHE Rapid SL frame in combination with the Glass Cover is designed for swift installation behind the wall, neatly concealing everything you need to run your shower toilet.



39 374 KSO
Velvet Black
39 374 LSO
Moon White





[1] Integrated fixing point for electric cable for Sensia Arena

[2] Conduit pipe to guide the water connection hose

[3] Water connection for Sensia Arena IGS

[4] Water connection for Sensia Arena

[5] Protection block for flush pipe and waste bend
(as well as mounting pattern for tiler)



RAPID PRO

A STRONG CONNECTION

Rapid Pro from GROHE is the professional modular system for customised bathrooms. Virtually all frame structures – for studded-wall installations as well as room-height and freestanding walls – are created using the key profile connector and profile components.

They are extremely durable and ideal for workshop prefabrication to reduce installation time on site. When used in combination with GROHE Rapid SL systems, the Rapid Pro offers outstanding flexibility for all sanitary installation applications.





RAPID PRO

PRODUCT FEATURES

- [1] Planning software and Planning service
- [2] Simplified bathroom design with unique architecture:
e.g. as a room divider in any height
- [3] Accessories for on-wall or concealed fittings and mixers
- [4] Use of all Rapid SL elements
- [5] Quick fastening to cladding elements
using pre-mounted assembly brackets
- [6] Only 4 basic components necessary to build a wall with Rapid Pro
- [7] 90°, 45° or parallel variants for frame construction
 - One-handed fitting and positioning; fastening by clicking in the connectors.
 - Practical tolerance compensation of 15 mm if the profiles are cut too short or at an angle
 - Openings in the connector for fastening wall brackets, clips etc.
- [8] High strength and dimensional stability of the connectors and profiles.






39 020 000
Rapid Pro connector
for creating connections of 90°, 45°
and in parallel
zinc die-casting
completely pre-assembled



39 019 000
Rapid Pro profile
for semi-high and ceiling-high wall
constructions
hot galvanized
1000 x 35 x 35 mm
profile length 5000 mm



39 023 000
Rapid Pro Mounting angle
for wall and floor fixing of profiles
hot galvanized
pre-assembled
fixing material



39 022 000
Rapid Pro spacer
for fixing and stabilizing
the profile system and to arrange
for variable profile connections
variable depth adjustment
hot galvanized

FLUSH PLATES **COSMOPOLITAN DESIGN** NOW EVEN SMALLER

Square, Round or Lozenge – whatever your preferred form, GROHE flush plates allow you to create a cohesive design story throughout the bathroom. Now GROHE is taking the next step in reducing the size of the flush plates. Our cosmopolitan designs will also be available in a smaller, more attractive size.

Available in GROHE StarLight chrome, our discreet plates complement our basin mixer collection and will be available in chrome, mattchrome, alpine-white and supersteel surface. For fast installation they feature GROHE EasyConnect – a single pneumatic hose, which connects the plate to the discharge valve.



FLUSH PLATES **SKATE COSMOPOLITAN S**

Minimalist design, simple geometry with an appearance of pureness and clarity. The joint catches the light and encourages the user to interact intuitively. Skate Cosmopolitan flush plates complement our brassware collections and will enhance your next bathroom project.

Like all new small flush plates, they can be installed very easy – invisible magnetic fixings complete the design.



ACTUAL SIZE



ACTUAL SIZE

FLUSH PLATES **NOVA COSMOPOLITAN S**

With its fresh design Nova Cosmopolitan brings an exciting modern element to our comprehensive range of flush plates. Its use of geometric shapes – circular actuation is framed by a rectangular plate – makes it the ideal choice for cutting edge spaces.


A choice of colors ensures the design complements several of our brassware and shower collections.

FLUSH PLATES **ARENA COSMOPOLITAN S**

The lozenge shape of the flush button lends the Arena Cosmopolitan flush plate a sporty touch. The characteristic lozenge shape takes the key aspects of GROHE design and interprets them with a 'sensual minimalism'.



ACTUAL SIZE



GROHE DIGITECTURE LIGHT

SHINING EXAMPLES OF WC INNOVATION

Ambient lighting can set the mood in a living room. Now you can create the same relaxing atmosphere in your bathroom. You can adapt the background illumination to suit your own taste, with an adjustable colour gradient. The WC glass flush plate is available in Velvet Black and Moon White.

GROHE Digtecture Light sets the scene with a simple combination of a square and a circle and a GROHE StarLight chrome border around the pushbutton. It measures an elegant 200 x 200 mm. The normal flush is activated touchlessly by tapping the flush plate.

NOVA COSMOPOLITAN LIGHT CHANGING COLOURS TO REFLECT YOUR MOOD

GROHE Nova Cosmopolitan Light brings light and colour that you can adapt to suit your mood to an area of your bathroom that would otherwise be cast in shadow: the illuminated ring adds a touch of class to the WC area. The mains-operated LEDs can be adjusted to any colour: with blue, green, red, yellow or a colour gradient of 200 shades to choose from.

In keeping with the GROHE Cosmopolitan basin mixer and shower range, the Nova Light flush plate is based on geometric shapes: the circle and the square. Nova Cosmopolitan Light with the GROHE StarLight chrome finish can be installed vertically or horizontally.





FLUSH PLATES ALL ROUNDERS WITH STATE-OF-THE-ART FLUSHING TECHNOLOGY

At GROHE, we follow through modern bathroom design consistently right down to the WC flush plate. Apart from the purely functional aspect of flushing, this detail also fulfils an important design function.

GROHE has developed a unique and diverse range in which the WC flushing mechanism, available in a number of extremely attractive variants, is a core element of the design concept and can be coordinated perfectly with the faucets and other equipment features.





ACTUAL SIZE



GROHE
EcoJoy



GROHE
StarLight




















EasyConnect

FLUSH PLATES

SKATE COSMOPOLITAN

WC flush plates

Skate Cosmopolitan								
	38 732 000 chrome	38 732 P00 matt chrome	38 732 SH0 alpine white	38 732 BR0 titanium / anti-fingerprint	38 732 SD0 stainless steel	38 859 XG0 black graphics print		
	Glass							
		38 845 KS0 high glossy velvet black	38 845 LS0 high glossy moon white	38 845 MF0 chrom / daVinci satin	38 916 OA0 mirror surface	38 821 000 metal		
		Wood						
			38 849 HP0 walnut/chrome	38 849 HR0 macassar / chrome				
Skate Cosmopolitan S								
	37 535 000* chrome	37 535 P00* matt chrome	37 535 SH0* alpine white	37 535 DC0* supersteel				

Urinal flush plates

Skate Cosmopolitan					
	38 784 000 chrome	38 784 P00 matt chrome	38 784 SH0 alpine white	38 784 SD0 stainless steel	
	Glass				
		38 846 KS0 high glossy velvet black	38 846 LS0 high glossy moon white	38 846 MF0 chrom / daVinci satin	

FLUSH PLATES

NOVA COSMOPOLITAN

WC flush plates

Nova
Cosmopolitan



38 765 000
chrome



38 765 P00
matt chrome



38 765 SH0
alpine white



38809000
Light

Printed
graphics



38 847 K10
black / chrome



38 847 L10
white / chrome



38 847 XG0
black / chrome

Nova
Cosmopolitan S



37 601 000*
chrome



37 601 P00*
matt chrome



37 601 SH0*
alpine white



37 601 DC0*
supersteel

Urinal flush plates

Nova
Cosmopolitan



38 804 000
chrome



38 804 P00
matt chrome



38 804 SH0
alpine white



GROHE
EcoJoy



GROHE
StarLight



EasyConnect

* separate inspection shaft 40 911 000 needed



ACTUAL SIZE



ACTUAL SIZE



**GROHE
EcoJoy**



**GROHE
StarLight**



EasyConnect

FLUSH PLATES

ARENA COSMOPOLITAN

WC flush plates

Arena
Cosmopolitan



38 844 000
chrome



38 844 P00
matt chrome



38 844 SH0
alpine white

horizontal
installation



38 858 000
chrome



38 858 P00
matt chrome



38 858 SH0
alpine white

Arena
Cosmopolitan S



37 624 000*
chrome



37 624 P00*
matt chrome



37 624 SH0*
alpine white



37 624 DC0*
supersteel

Urinal flush plates

Arena
Cosmopolitan



38 857 000
chrome



38 857 P00
matt chrome



38 857 SH0
alpine white

FLUSH PLATES

SKATE AIR

WC flush plates

Skate Air
Dual Flush



38 505 000
chrome



38 505 P00
matt chrome



38 505 SH0
alpine white

horizontal
installation



38 506 000
chrome



38 506 P00
matt chrome



38 506 SH0
alpine white

Skate Air
Single Flush



38 564 000*
chrome



38 564 SH0
alpine white

vertical
installation



38 565 000*
chrome



38 565 SH0
alpine white



GROHE
EcoJoy




GROHE
StarLight



EasyConnect



ACTUAL SIZE



ACTUAL SIZE



**GROHE
EcoJoy**



**GROHE
StarLight**



EasyConnect

FLUSH PLATES

SKATE / SURF

WC flush plates

Skate



38 862 000
chrome



38 862 P00
matt chrome



38 862 SH0
alpine white



38 862 SD0
stainless steel

Tectron Skate
Infrared



38 698 SD1
stainless steel (230 V)



37 419 000
chrome (230 V)



37 419 SD0
stainless steel (230 V)



38 393 SD1
stainless steel (230 V)

Surf



38 861 000
chrome

Tectron Surf
Infrared



38 699 001
chrome

Urinal flush plates

Surf



38 808 000
chrome



38 808 P00
matt chrome



38 808 SH0
alpine white

Tectron Skate
Infrared



37 321 001
chrome (230 V)



37 321 SH1
alpine white (230 V)



37 321 SD1
stainless steel (230 V)



37 324 001
chrome (6 V)



37 324 SD1
stainless steel (6 V)

Tectron Surf
Infrared



37 336 001
chrome (230 V)



37 337 001
chrome (6 V)

GROHE REMOTE-CONTROL FLUSHING



WC remote control makes flushing much easier. It means you don't have to turn around towards the flush plate. Instead, simply touch a button on the grab handle or the wall. Depending on the installation, variations are available for all leading manufacturers' of grab rails and buttons.





- Remote activation via direct cable connection:
Connection to WC controls on support grips by manufacturers including Hewi, Keuco, Lehnert, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU or FSB, with GROHE receiver in stainless steel (38 934 SD0)
- Wireless remote activation with 230 V mains supply:
Connection to WC remote controls on grab rails by various manufacturers of wall switches (manufacturers including: Gira, Jung, Busch Jaeger or Berker) with GROHE wireless technology (39 142 000) and GROHE receiver in stainless steel (38 759 SD0)
- Wireless remote activation with 6V supply:
Connection to WC remote controls on grab rails by various manufacturers of wall switches (manufacturers see above) with GROHE wireless technology (39 142 000) and GROHE receiver inside the cistern (39 141 000)





FOR ALL GROHE WC FLUSH PLATES, FOR ALL MAJOR BRANDS OF GRAB RAILS



FOR ALL MAJOR BRANDS OF GRAB RAILS WITH A CABLE



**FOR ALL GROHE WC FLUSH PLATES
FOR ALL MAJOR BRANDS OF GRAB RAILS
WITH A RADIO CONTROLLED TRANSMITTER
AND FOR WALL SWITCHES**



**PNEUMATIC
NEW BUILD AND RENOVATION**



**WIRED
230V NEW BUILD**



**RADIO CONTROLLED
6 V NEW BUILD AND RENOVATION**



**RADIO CONTROLLED
230V NEW BUILD**




WC FLUSH PLATES

COMBINATION MANUAL + TOUCHLESS


Touchless/electronic activation and traditional flush at the touch of a button are combined in a unique GROHE WC plate. In normal operation, WC flushing is activated automatically through the infrared electronics. The touchless technology is extremely hygienic, as no contact with the plate is required for activation.

Users can also activate additional flushes at the touch of a button if required. Manual single-flush works independently of a power supply, which means that it is functional at all times. The modern Skate design is easy to clean and available in stainless steel (germ-resistant) or with GROHE StarLight (highly resistant chrome finish). GROHE EcoJoy technology guarantees economical and resource-conserving water consumption for flushing by using only the amount of water needed.





37 419 SD0
Tectron Skate
infra-red control with additional
manual actuation, for flushing cistern
GD2/Rapid SL 1.13m,
wall plate stainless steel,
concealed installation
CE approved
wall plate chrome



37 419 000
Tectron Skate
infra-red control with additional
manual actuation, for flushing cistern
GD2/Rapid SL 1.13m,
GROHE StarLight chrome finish
concealed installation
CE approved
wall plate chrome



GROHE
EcoJoy



GROHE
StarLight



EasyConnect